



# AUTOSTACK 254

**AUTOMATIC BALE LOADER & STACKER** 

## THE FASTEST AND MOST RELIABLE STACKER IN THE MARKET



## GENERATION AFTER GENERATION, IMPROVING BALE HANDLING





#### TRADITION, EXPERIENCE AND INNOVATION

Manuel Cusiné, president of ARCUSIN, with over 50 years of experience in handling bales, is the inventor of our machinery. Along with the engineers team, they work to offer **constant innovation and maximum optimization of our models features**.

This work allows us to be **world leaders in engineering and technology** applied to the manufacture of self-loading bale trailers. AutoStack has been evolving in the market for **more than 45 years** and is already present in more than 60 countries, always offering a **quality international after-sales service**.

The third generation has just joined the family group: Manuel, Blanca & Ferrán Cusiné. With an education in engineering, they will continue to meet farmers' needs. In Arcusin there is a bright **future full of enthusiasm and new ideas** that we hope to share with all of you.



### WORLD LEADER LIFE CAN BE EASIER WITH ARCUSIN

#### **AGILE & FAST OPERATION**

A single operator is able to carry out the whole collection and stacking process, working with large volumes of bales.

**Perfect stacking**, ideal for intensive work on large farms and on relatively flat and even terrain.

Maximum efficiency and profitability reduced transport intervals between collecting and unloading bales.

#### **EASY HANDLING**

Easy, agile and safe discharges, even with part loads.

Adaptable to all bale sizes and commonly baled products: fodder, sugar cane, cotton, maize, sorghum, miscanthus, straw, pharmaceutical products...

Control of the whole working cycle from the tractor cabin.

No previous operator experience required to ensure efficient work.



Constant technological improvements and updates allow us to offer a product that is clearly differentiated from its competitors in terms of its performance, safety and ease of handling.

#### **LOAD**

#### NO BALE WILL RESIST

Floating and single-turn pick-up. This system is patented and unique in the market.

Able to load all types of bales, even high density (HD) ones.

Automatic chain control: chains are activated when detecting the presence of a bale.

Product care, it doesn't push or drag the bale in the field.

#### **UNLOAD AND STACK** SIMPLE, FAST AND SAFE

Intelligent unloading tines.

Compact and stable stacks.

Possibility of automatic partial unload.

#### **HIGH-SPEED RUNNING GEAR** YOU SET THE SPEED

Designed and prepared to work at high speeds.

More working cycles in the same total time.

Tandem running gear with self-steering rear axle.

Uniform distribution of the load and total adaptation to the ground.

High durability of the tires.

Better maneuverability in tight spaces.

#### **COMPLETELY INDEPENDENT** FROM THE TRACTOR

**OWN HYDRAULIC SYSTEM** SIMPLE AND BALANCED

Variable flow pump to avoid oil restrictions throughout the circuit.

Control of the speeds and pressures of the movements.

Possibility of manual operation using the hydraulic block.

















#### **ELECTRONIC CONTROL AND SECURITY**

Continuous indicators of the working cycle by check control.

**Performance counters**. Automatic stop when the machine is full.



#### DIMENSIONS


А	В	С	D	Е
10.000 mm	5.400 mm	6.400 mm	2.500 mm	3.880 mm
398 in	213 in	252 in	98 in	153 in


#### WEIGHTS AND LOADS

TARE	C.M.A
7.800 kg	16.000 kg
17,196 lb	35,274 lb

#### **CHARACTERISTICS**

	STANDARD	OPTIONAL
WHEELS	435/50R 19.5 INDUSTRIAL	500/45 22.5 FLOTATION
BRAKES	HYDRAULIC	PNEUMATIC





#### **LOADING CAPACITY**

NO NEED TO ADAPT THE MACHINE, IDEAL FOR CONTRACTORS

130x120 cm	90x120 cm	80x120 cm	70x120 cm	90x80 cm	80x80 cm	70x80 cm	60x90 cm	50x80 cm	47x80 cm	100x120 cm
51.2x47.2 in	35.4x47.2 in	31.5x47.2 in	27.5x47.2 in	35.4x31.5 in	31.5x31.5 in	27.5x31.5 in	23.6x35.4 in	19.7x31.5 in	18.5x31.5 in	39.4x47.2 in
8	12	14	16	18	21	24	27	33	36	10*

### **SPECIALISTS IN BALE HANDLING SOLUTIONS**

**DISCOVER OTHER ARCUSIN PRODUCTS** 

















+34 **973 712 855** | +34 696 982 910





